

1. Introduction:

Auxiliary for retanning, dyeing and lubricating leather.

2. Description:

Aqueous solution of an acrylic copolymer and an ester.

3. Composition:

Appearance: Liquid to paste.

Color: Clear to opaque

Active matter: 24.0±2.0%

pH: 5.5±0.5

4. Properties:

—*During neutralization:*

It improves grain firmness (1%-2%). It increases impermeability by forming a protection barrier (2%-3%).

—*During retanning process:*

It improves the break of the grain (1.0%). For footwear it can be used in neutralizing and retanning processes (2%-3%),

—*During fatliquoring process:*

Disperses fatliquor emulsions and provides uniform and intense penetration, improving fatliquor bath exhaustion. Remarkably improves the softness of the leather when incorporated into the fatliquor. For very soft leathers (3%-6%), but only less than 0.5% in fatliquoring if it is leather for footwear.

—*“Advanced Fast” system:*

Placed during the retanning and greasing part, it improves the leather's fastness to washing. Stabilizes the structure of the leather fiber. The touch and shape of the leathers are maintained despite repeated washings.

—*Waterproofing:*

Used as a retanning agent and in fatliquoring, with the appropriate waterproofing agents, it improves their performance.

5. Minimum storage capability:

The product may be stored with its container tightly closed in a well-ventilated place at a temperature ranging from +5°C to +35°C. Sealed containers have a service life of 6 months.

6. Application:

See section 3: Properties.

7. Safety:

When handling this product the instructions set out in the safety data leaflet must be observed. The relevant safety and precautionary measures for hygiene in the workplace must also be followed when working with chemical products.

8. Observations:

The instructions given in this publication are based on the current stand of our knowledge and experience. This does not presuppose any judicial guarantee concerning certain properties nor their suitability for any application in particular. Given the many influences that may occur during the handling and use of our products, the persons handling or transforming them are not exempt from carrying out their own controls or tests. All those receiving our products will be responsible for observing all existing patent rights as well as all current laws and regulations.

Update: 25.01.25

Beamhouse
and Wet

Fatliquoring
Auxiliaries