

1. Introduction:

Auxiliary product for leather finishing.

2. Presentation:

RA-1236 is a polymeric dispersion of fine particles.

3. Composition:

Polyacrylate water dispersion.

Appearance:	liquid
Nature:	anionic
Solids content:	36%
PH value (1:10):	7,5-8,5
Colour:	milky, slightly greenish

4. Properties:

RA-1236 is a dispersion of fine particles, that are able to penetrate into the surface of the leather. This way they give finishings an excellent adherence and, on the contrary to other binding agents, don't harden it, and a very firm grain is obtained. It is used as a normal binding agent to obtain elegant finishings with excellent properties like being waterproof, adherence and flexibility. It can also be used as an impregnation resin for the finishing of corrected grain. The film that it produces is clear, little sticky, resistant, very elastic (gives high flexometry) and waterproof. As consequence, it has an excellent resistance to wet rubbing.

5. Minimum storage capacity:

The product has to be stored in its well closed container, in a well ventilated place, at temperatures between +5 and +35°C. In its well sealed container it lasts 6 months.

6. Application:

RA-1236 is recommended for a big variety of leather types, especially those to be used for leather items and shoes. It can be mixed in any proportion with other binding agents for finishing, like acrylic, caseinic or polyurethane, to obtain the desired properties of the finished leather.

7. Safety:

When handling this product the instructions set out in the safety data leaflet must be observed. The relevant safety and precautionary measures for hygiene in the workplace must also be followed when working with chemical products.

8. Observations:

The instructions given in this publication are based on the current stand of our knowledge and experience. This does not presuppose any judicial guarantee concerning certain properties nor their suitability for any application in particular. Given the many influences that may occur during the handling and use of our products, the persons handling or transforming them are not exempt from carrying out their own controls or tests. All those receiving our products will be responsible for observing all existing patent rights as well as all current laws and regulations.

Update: 02.10.17

Finishing

Acrylic
Resins